


U.I. Lapp GmbH	<b>PRODUCT INFORMATION</b>	
	<b>SKINTOP® MSR-M</b>	29.11.2013


For the benefits, refer to SKINTOP® MS-M




Corrosion-resistant



Mechanical resistance



Optimum strain relief



Acid-resistant



Temperature-resistant



Variety of approval certifications



#### Info

SKINTOP® MSR-M 75 x 1.5 with innovative double lamella gasket for easier assembling of cables with large diameters. Now with IP 69 K approval! Proven to withstand the most demanding cleaning procedures for industrial machinery with high-pressure cleaners and hot water!

#### Application range

With reducing seal insert, to seal cables with smaller outer diameters.

#### Design

Metric connection thread acc. to EN 50262

#### Norm references / Approvals

UL File Nr. E79903


#### Note

Counter nut to be used: SKINDICHT® SM-M  
Refer to SKINTOP® metric accessories for suitable accessories

#### Remark

Photographs are not to scale and do not represent detailed images of the respective products.

Product Management	Document: LAPP_PRO990EN.pdf	1 / 4
--------------------	-----------------------------	-------

U.I. Lapp GmbH	<b>PRODUCT INFORMATION</b>	
	<b>SKINTOP® MSR-M</b>	<b>29.11.2013</b>

**Technical Data**

Caution:	Refer to Appendix T21 for the installation dimensions and torques
Approvals:	IP 69 K approval from size M75 x 1.5 pending. UL, CSA, DNV and VDE approval for sizes M90 x 2 to M110 x 2 pending.
Note:	In stainless steel V2A available
Material:	Body: nickel-plated brass Insert: polyamide Sealing ring: CR O-ring: NBR
Protection rating:	IP 68 IP 69 K
Temperature range:	Dynamic: -30 °C to +100 °C Fixed: -40°C to +100°C


Product Management	Document: LAPP_PRO990EN.pdf	2 / 4
--------------------	-----------------------------	-------




**SKINTOP® MSR-M**

29.11.2013

Part number	Article designation / size	Clamping range ØF (mm)	SW (mm)	Overall length/ C (mm)	Thread length/ D (mm)
<b>SKINTOP® MSR-M</b>					
53112100	12 x 1,5	1-5	16	26,5	6.5
53112110	16 x 1,5	2-7	20	32.0	7.0
53112120	20 x 1,5	5-10	24	35,5	8.0
53112130	25 x 1,5	6-13	29	37,5	8.0
53112140	32 x 1,5	7-15	36	42,2	9.0
53112150	40 x 1,5	15-23	45	49,5	9.0
53112160	50 x 1,5	22-29	54	52.0	10.0
53112170	63 x 1,5	28-39	67	61,3	15.0
53112511	75 x 1,5	53-63	95	105.0	15.0
53112515	110 x 2	76-88	135	154.0	25.0

U.I. Lapp GmbH	<b>PRODUCT INFORMATION</b>	 <b>LAPP GROUP</b>
	<b>SKINTOP® MSR-M</b>	29.11.2013



Product Management	Document: LAPP_PRO990EN.pdf	4 / 4
--------------------	-----------------------------	-------