



### METRIC THREADS

PART No.	THREAD A	NOMINAL DIMENSIONS (mm)					NOMINAL CONDUIT $\phi G$
		B	C	D	E	F	
SPB10/M10/B	M10 x1.5	8.0	4.1	14.0	14.0	29.2	11.0
SPB12/M16/B	M16 x1.5	8.0	7.5	17.0	17.0	31.5	15.0
SPB16/M16/B	M16 x1.5	8.0	10.2	20.0	20.0	35.6	18.5
SPB20/M20/B	M20 x1.5	10.0	14.5	24.0	24.0	40.0	22.5
SPB25/M25/B	M25 x1.5	12.0	16.9	30.0	30.0	45.0	28.0
SPB32/M32/B	M32 x1.5	14.0	24.1	38.0	38.0	48.0	36.0
SPB40/M40/B	M40 x1.5	14.0	30.8	50.0	50.0	55.0	45.5
SPB50/M50/B	M50 x1.5	14.0	42.5	66.5	66.5	57.9	57.5



BIRMINGHAM ENGLAND

This drawing/document is a COPYRIGHT and the property ADAPTAFLEX LIMITED it must not be copied (in whole or part) used for manufacture or otherwise disclosed without prior written consent of the company. The Company's policy is one of continuous improvement and it therefore reserves the right to change specifications at any time without notice.

MATERIAL **BRASS**

FINISH **NICKEL PLATE**

COLOUR

DATE **14/5/99**

CHARTS 085

TITLE

**SPB & STC  
B-TYPE  
METRIC THREAD**