

Rittal – The System.

Faster – better – everywhere.

► Enclosure heaters without fan – SK 3105.330

Date : Mar 18, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Enclosure heaters without fan – SK 3105.330

created : 18.03.2014 on www.rittal.com/com-en



Product description

Supply includes:

- PTC heater
- Quick-connection terminal
- Assembly parts

Note:

- For precise temperature control inside the enclosure, we recommend the enclosure internal thermostat or the digital enclosure internal temperature display and thermostat.
- In order to prevent condensation on assemblies, a hygrostat is recommended to regulate heating.
- In larger enclosures, even heat distribution is best achieved by installing several low-output heaters.
- The installation of heaters is generally advisable, in order to prevent condensation.

Note on model no.:

- Special voltages available on request. We reserve the right to make technical modifications.

Packs of:

- 1 pc(s).

EAN:

- 4028177638631

Customs tariff number:

- 85162999

Product features

Continuous thermal output at 10 °C:

- 23 W - 30 W

Rated operating voltage:

- 110 V - 240 V, 1~, 50 Hz/60 Hz




Dimensions:

- Width: 64 mm
- Height: 155 mm
- Depth: 56 mm


Pre-fuse:

- Miniature circuit-breaker/fuse: 4 A



Approvals**Approvals:**

-  [UR \(EN\)](#)
-  [C-UR \(EN\)](#)
-  [Approval overview \(EN\)](#)

Declarations:

-  [Declaration of conformity \(EN, DE\)](#)

Downloads**Data sheets:**

-  [Technical details \(EN\)](#)
-  [Technical system catalogue \(DE\)](#)

Documentation:

-  [Instructions \(SE, ES, DE, EN, FR, NL, IT, JP\)](#)

CAD drawings:

- Request

Please note that there are the following alternative products:



Enclosure heaters with fan

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postfach 1662 · D-35726 Herborn
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP